ELSEVIER

Hearing Research 139 (2000) 172

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 139

Bohne, B.A., see Nordmann, A.S. (139) 13
Burkard, R., see Qiu, C. (139) 153

Campo, P., see Lataye, R. (139) 86
Claxton, C., see van Heumen, W.R.A. (139) 42

Ding, D., see Qiu, C. (139) 153

Forge, A. and Li, L.
Apoptotic death of hair cells in mammalian vestibular sensory epithelia (139) 97

Gleich, O., see Köppl, C. (139) 123
Guillemot, J.-P., see Jiang, H. (139) 69

Hallworth, R., McCoy, M. and Polan-Curtain, J.
Tubulin expression in the developing and adult gerbil organ of Corti (139) 31
Harding, G.W., see Nordmann, A.S. (139) 13

Ichimiya, I., Suzuki, M. and Mogi, G.
Age-related changes in the murine cochlear lateral wall (139) 116

Jiang, H., Lepore, F., Poirier, P. and Guillemot, J.-P.
Responses of cells to stationary and moving sound stimuli in the anterior ectosylvian cortex of cats (139) 69

Kimura, H., see Suzuki, M. (139) 51
Kirk, D.L., see Withnell, R.H. (139) 1
Kitajima, K., see Suzuki, M. (139) 51
Kitanishi, T., see Suzuki, M. (139) 51
Kitano, H., see Suzuki, M. (139) 51
Köppl, C., Wegscheider, A., Gleich, O. and Manley, G.A.
A quantitative study of cochlear afferent axons in birds (139) 123
Kudo, M., Sakurai, H., Kurokawa, K. and Yamada, H.
Neurogenesis in the superior olivary complex in the rat (139) 144
Kurokawa, K., see Kudo, M. (139) 144

Lataye, R., Campo, P. and Loquet, G.
Combined effects of noise and styrene exposure on hearing function in the rat (139) 86
Lepore, F., see Jiang, H. (139) 69
Li, L., see Forge, A. (139) 97
Loquet, G., see Lataye, R. (139) 86

Maeda, T., see Suzuki, M. (139) 51
Manley, G.A., see Köppl, C. (139) 123
McCoy, M., see Hallworth, R. (139) 31
Mogi, G., see Ichimiya, I. (139) 116

Nordmann, A.S., Bohne, B.A. and Harding, G.W.
Histopathological differences between temporary and permanent threshold shift (139) 13

Pickles, J.O., see van Heumen, W.R.A. (139) 42
Poirier, P., see Jiang, H. (139) 69
Polan-Curtain, J., see Hallworth, R. (139) 31

Qiu, C., Salvi, R., Ding, D. and Burkard, R.
Inner hair cell loss leads to enhanced response amplitudes in auditory cortex of unanesthetized chinchillas: evidence for increased system gain (139) 153

Rybalko, N., see Syka, J. (139) 59

Sakurai, H., see Kudo, M. (139) 144
Salvi, R., see Qiu, C. (139) 153
Suzuki, M., see Ichimiya, I. (139) 116
Suzuki, M., Kitanishi, T., Kitano, H., Yazawa, Y., Kitajima, K., Takeda, T., Tokunaga, Y., Maeda, T., Kimura, H. and Tooyama, I.
C-type natriuretic peptide-like immunoreactivity in the rat inner ear (139) 51
Syka, J. and Rybalko, N.
Threshold shifts and enhancement of cortical evoked responses after noise exposure in rats (139) 59

Takeda, T., see Suzuki, M. (139) 51
Tokunaga, Y., see Suzuki, M. (139) 51
Tooyama, I., see Suzuki, M. (139) 51

van Heumen, W.R.A., Claxton, C. and Pickles, J.O.
Expression of EphA4 in developing inner ears of the mouse and guinea pig (139) 42

Wegscheider, A., see Köppl, C. (139) 123
Withnell, R.H., Yates, G.K. and Kirk, D.L.
Changes to low-frequency components of the TEOAE following acoustic trauma to the base of the cochlea (139) 1

Yamada, H., see Kudo, M. (139) 144
Yates, G.K., see Withnell, R.H. (139) 1
Yazawa, Y., see Suzuki, M. (139) 51

PII: S0378-5955(99)00198-7

ELSEVIER

Hearing Research 139 (2000) 172

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 139

Bohne, B.A., see Nordmann, A.S. (139) 13
Burkard, R., see Qiu, C. (139) 153

Campo, P., see Lataye, R. (139) 86
Claxton, C., see van Heumen, W.R.A. (139) 42

Ding, D., see Qiu, C. (139) 153

Forge, A. and Li, L.
Apoptotic death of hair cells in mammalian vestibular sensory epithelia (139) 97

Gleich, O., see Köppl, C. (139) 123
Guillemot, J.-P., see Jiang, H. (139) 69

Hallworth, R., McCoy, M. and Polan-Curtain, J.
Tubulin expression in the developing and adult gerbil organ of Corti (139) 31
Harding, G.W., see Nordmann, A.S. (139) 13

Ichimiya, I., Suzuki, M. and Mogi, G.
Age-related changes in the murine cochlear lateral wall (139) 116

Jiang, H., Lepore, F., Poirier, P. and Guillemot, J.-P.
Responses of cells to stationary and moving sound stimuli in the anterior ectosylvian cortex of cats (139) 69

Kimura, H., see Suzuki, M. (139) 51
Kirk, D.L., see Withnell, R.H. (139) 1
Kitajima, K., see Suzuki, M. (139) 51
Kitanishi, T., see Suzuki, M. (139) 51
Kitano, H., see Suzuki, M. (139) 51
Köppl, C., Wegscheider, A., Gleich, O. and Manley, G.A.
A quantitative study of cochlear afferent axons in birds (139) 123
Kudo, M., Sakurai, H., Kurokawa, K. and Yamada, H.
Neurogenesis in the superior olivary complex in the rat (139) 144
Kurokawa, K., see Kudo, M. (139) 144

Lataye, R., Campo, P. and Loquet, G.
Combined effects of noise and styrene exposure on hearing function in the rat (139) 86
Lepore, F., see Jiang, H. (139) 69
Li, L., see Forge, A. (139) 97
Loquet, G., see Lataye, R. (139) 86

Maeda, T., see Suzuki, M. (139) 51
Manley, G.A., see Köppl, C. (139) 123
McCoy, M., see Hallworth, R. (139) 31
Mogi, G., see Ichimiya, I. (139) 116

Nordmann, A.S., Bohne, B.A. and Harding, G.W.
Histopathological differences between temporary and permanent threshold shift (139) 13

Pickles, J.O., see van Heumen, W.R.A. (139) 42
Poirier, P., see Jiang, H. (139) 69
Polan-Curtain, J., see Hallworth, R. (139) 31

Qiu, C., Salvi, R., Ding, D. and Burkard, R.
Inner hair cell loss leads to enhanced response amplitudes in auditory cortex of unanesthetized chinchillas: evidence for increased system gain (139) 153

Rybalko, N., see Syka, J. (139) 59

Sakurai, H., see Kudo, M. (139) 144
Salvi, R., see Qiu, C. (139) 153
Suzuki, M., see Ichimiya, I. (139) 116
Suzuki, M., Kitanishi, T., Kitano, H., Yazawa, Y., Kitajima, K., Takeda, T., Tokunaga, Y., Maeda, T., Kimura, H. and Tooyama, I.
C-type natriuretic peptide-like immunoreactivity in the rat inner ear (139) 51
Syka, J. and Rybalko, N.
Threshold shifts and enhancement of cortical evoked responses after noise exposure in rats (139) 59

Takeda, T., see Suzuki, M. (139) 51
Tokunaga, Y., see Suzuki, M. (139) 51
Tooyama, I., see Suzuki, M. (139) 51

van Heumen, W.R.A., Claxton, C. and Pickles, J.O.
Expression of EphA4 in developing inner ears of the mouse and guinea pig (139) 42

Wegscheider, A., see Köppl, C. (139) 123
Withnell, R.H., Yates, G.K. and Kirk, D.L.
Changes to low-frequency components of the TEOAE following acoustic trauma to the base of the cochlea (139) 1

Yamada, H., see Kudo, M. (139) 144
Yates, G.K., see Withnell, R.H. (139) 1
Yazawa, Y., see Suzuki, M. (139) 51

PII: S0378-5955(99)00198-7

ELSEVIER

Hearing Research 139 (2000) 173–175

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 139

Acoustic trauma
Transient-evoked otoacoustic emission; Intermodulation distortion; Guinea pig (Withnell, R.H. (139) 1)

Auditory
Basilar papilla; Eighth nerve; Barn owl; Chicken; Myelination (Köppl, C. (139) 123)

Auditory brainstem response
Noise; Temporary threshold shift; Permanent threshold shift; Histopathology; Chinchilla (Nordmann, A.S. (139) 13)

Auditory cortex
Inner hair cell loss; Carboplatin; Enhancement; Auditory nerve; Inferior colliculus (Qiu, C. (139) 153)

Auditory nerve
Inner hair cell loss; Carboplatin; Enhancement; Inferior colliculus; Auditory cortex (Qiu, C. (139) 153)

Auditory pathway
Superior olive; Inferior colliculus; Fluoro-gold; Bromodeoxyuridine; Development; Rat; Thymidine analogue (Kudo, M. (139) 144)

Barn owl
Auditory; Basilar papilla; Eighth nerve; Chicken; Myelination (Köppl, C. (139) 123)

Basilar papilla
Auditory; Eighth nerve; Barn owl; Chicken; Myelination (Köppl, C. (139) 123)

Bromodeoxyuridine
Auditory pathway; Superior olive; Inferior colliculus; Fluoro-gold; Development; Rat; Thymidine analogue (Kudo, M. (139) 144)

C57BL/6 mouse
Inner ear; Sensorineural hearing loss; Spiral ligament; Connexin 26; Sodium-potassium-adenosinetriphosphatase (Ichimiya, I. (139) 116)

Carboplatin
Inner hair cell loss; Enhancement; Auditory nerve; Inferior colliculus; Auditory cortex (Qiu, C. (139) 153)

Caspase inhibitor
Staurosporine; Deferoxamine; Gentamicin; Organotypic culture; Programmed cell death (Forge, A. (139) 97)

Chicken
Auditory; Basilar papilla; Eighth nerve; Barn owl; Myelination (Köppl, C. (139) 123)

Chinchilla
Noise; Temporary threshold shift; Permanent threshold shift; Auditory brainstem response; Histopathology (Nordmann, A.S. (139) 13)

Cochlea
Tubulin; Microtubule; Organ of Corti; Development; Hair cell; Pillar cell; Deiters cell (Hallworth, R. (139) 31)

Eph; Ephrin; EphA4; Ephrin-B2; Ephrin-B3; Development; Mouse; Guinea pig (van Heumen, W.R.A. (139) 42)

Connexin 26
Inner ear; Sensorineural hearing loss; Spiral ligament; Sodium-potassium-adenosinetriphosphatase; C57BL/6 mouse (Ichimiya, I. (139) 116)

C-type natriuretic peptide
Inner ear; Immunohistochemistry; Endolymph; Perilymph; Ultrastructure (Suzuki, M. (139) 51)

Deferoxamine
Caspase inhibitor; Staurosporine; Gentamicin; Organotypic culture; Programmed cell death (Forge, A. (139) 97)

Deiters cell
Tubulin; Microtubule; Cochlea; Organ of Corti; Development; Hair cell; Pillar cell (Hallworth, R. (139) 31)

Development
Auditory pathway; Superior olive; Inferior colliculus; Fluoro-gold; Bromodeoxyuridine; Rat; Thymidine analogue (Kudo, M. (139) 144)

Tubulin; Microtubule; Cochlea; Organ of Corti; Hair cell; Pillar cell; Deiters cell (Hallworth, R. (139) 31)

Eph; Ephrin; EphA4; Ephrin-B2; Ephrin-B3; Cochlea; Mouse; Guinea pig (van Heumen, W.R.A. (139) 42)

Eighth nerve
Auditory; Basilar papilla; Barn owl; Chicken; Myelination (Köppl, C. (139) 123)

Endolymph
C-type natriuretic peptide; Inner ear; Immunohistochemistry; Perilymph; Ultrastructure (Suzuki, M. (139) 51)

Enhancement
Inner hair cell loss; Carboplatin; Auditory nerve; Inferior colliculus; Auditory cortex (Qiu, C. (139) 153)

Noise exposure; Threshold shift; Evoked response; Rat (Syka, J. (139) 59)

PII: S0378-5955(99)00199-9

Eph
Ephrin; EphA4; Ephrin-B2; Ephrin-B3; Development; Cochlea; Mouse; Guinea pig (van Heumen, W.R.A. (139) 42)

EphA4
Eph; Ephrin; Ephrin-B2; Ephrin-B3; Development; Cochlea; Mouse; Guinea pig (van Heumen, W.R.A. (139) 42)

Ephrin
Eph; EphA4; Ephrin-B2; Ephrin-B3; Development; Cochlea; Mouse; Guinea pig (van Heumen, W.R.A. (139) 42)

Ephrin-B2
Eph; Ephrin; EphA4; Ephrin-B3; Development; Cochlea; Mouse; Guinea pig (van Heumen, W.R.A. (139) 42)

Ephrin-B3
Eph; Ephrin; EphA4; Ephrin-B2; Development; Cochlea; Mouse; Guinea pig (van Heumen, W.R.A. (139) 42)

Evoked response
Noise exposure; Threshold shift; Enhancement; Rat (Syka, J. (139) 59)

Fluoro-gold
Auditory pathway; Superior olive; Inferior colliculus; Bromodeoxyuridine; Development; Rat; Thymidine analogue (Kudo, M. (139) 144)

Free field
Sound localization; Motion (Jiang, H. (139) 69)

Gentamicin
Caspase inhibitor; Staurosporine; Deferoxamine; Organotypic culture; Programmed cell death (Forge, A. (139) 97)

Guinea pig
Transient-evoked otoacoustic emission; Intermodulation distortion; Acoustic trauma (Withnell, R.H. (139) 1)

Eph; Ephrin; EphA4; Ephrin-B2; Ephrin-B3; Development; Cochlea; Mouse (van Heumen, W.R.A. (139) 42)

Hair cell
Tubulin; Microtubule; Cochlea; Organ of Corti; Development; Pillar cell; Deiters cell (Hallworth, R. (139) 31)

Histopathology
Noise; Temporary threshold shift; Permanent threshold shift; Auditory brainstem response; Chinchilla (Nordmann, A.S. (139) 13)

Immunohistochemistry
C-type natriuretic peptide; Inner ear; Endolymph; Perilymph; Ultrastructure (Suzuki, M. (139) 51)

Inferior colliculus
Auditory pathway; Superior olive; Fluoro-gold; Bromodeoxyuridine; Development; Rat; Thymidine analogue (Kudo, M. (139) 144)

Inner hair cell loss; Carboplatin; Enhancement; Auditory nerve; Auditory cortex (Qiu, C. (139) 153)

Inner ear
Sensorineural hearing loss; Spiral ligament; Connexin 26; Sodium-potassium-adenosinetriphosphatase; C57BL/6 mouse (Ichimiya, I. (139) 116)

C-type natriuretic peptide; Immunohistochemistry; Endolymph; Perilymph; Ultrastructure (Suzuki, M. (139) 51)

Inner hair cell loss
Carboplatin; Enhancement; Auditory nerve; Inferior colliculus; Auditory cortex (Qiu, C. (139) 153)

Intermodulation distortion
Transient-evoked otoacoustic emission; Acoustic trauma; Guinea pig (Withnell, R.H. (139) 1)

Microtubule
Tubulin; Cochlea; Organ of Corti; Development; Hair cell; Pillar cell; Deiters cell (Hallworth, R. (139) 31)

Motion
Sound localization; Free field (Jiang, H. (139) 69)

Mouse
Eph; Ephrin; EphA4; Ephrin-B2; Ephrin-B3; Development; Cochlea; Guinea pig (van Heumen, W.R.A. (139) 42)

Myelination
Auditory; Basilar papilla; Eighth nerve; Barn owl; Chicken (Köppl, C. (139) 123)

Noise
Temporary threshold shift; Permanent threshold shift; Auditory brainstem response; Histopathology; Chinchilla (Nordmann, A.S. (139) 13)

Styrene; Synergism; Rat (Lataye, R. (139) 86)

Noise exposure
Threshold shift; Evoked response; Enhancement; Rat (Syka, J. (139) 59)

Organ of Corti
Tubulin; Microtubule; Cochlea; Development; Hair cell; Pillar cell; Deiters cell (Hallworth, R. (139) 31)

Organotypic culture
Caspase inhibitor; Staurosporine; Deferoxamine; Gentamicin; Programmed cell death (Forge, A. (139) 97)

Perilymph
C-type natriuretic peptide; Inner ear; Immunohistochemistry; Endolymph; Ultrastructure (Suzuki, M. (139) 51)

Permanent threshold shift
Noise; Temporary threshold shift; Auditory brainstem response; Histopathology; Chinchilla (Nordmann, A.S. (139) 13)

Pillar cell
Tubulin; Microtubule; Cochlea; Organ of Corti; Development; Hair cell; Deiters cell (Hallworth, R. (139) 31)

Programmed cell death
Caspase inhibitor; Staurosporine; Deferoxamine; Gentamicin; Organotypic culture (Forge, A. (139) 97)

Rat
Auditory pathway; Superior olive; Inferior colliculus; Fluoro-gold; Bromodeoxyuridine; Development; Thymidine analogue (Kudo, M. (139) 144)

Noise exposure; Threshold shift; Evoked response; Enhancement (Syka, J. (139) 59)

Styrene; Noise; Synergism (Lataye, R. (139) 86)

Sensorineural hearing loss
Inner ear; Spiral ligament; Connexin 26; Sodium-potassium-adenosinetriphosphatase; C57BL/6 mouse (Ichimiya, I. (139) 116)

Sodium-potassium-adenosinetriphosphatase
Inner ear; Sensorineural hearing loss; Spiral ligament; Connexin 26; C57BL/6 mouse (Ichimiya, I. (139) 116)

Sound localization
Free field; Motion (Jiang, H. (139) 69)

Spiral ligament
Inner ear; Sensorineural hearing loss; Connexin 26; Sodium-potassium-adenosinetriphosphatase; C57BL/6 mouse (Ichimiya, I. (139) 116)

Staurosporine
Caspase inhibitor; Deferoxamine; Gentamicin; Organotypic culture; Programmed cell death (Forge, A. (139) 97)

Styrene
Noise; Synergism; Rat (Lataye, R. (139) 86)

Superior olive
Auditory pathway; Inferior colliculus; Fluoro-gold; Bromodeoxyuridine; Development; Rat; Thymidine analogue (Kudo, M. (139) 144)

Synergism
Styrene; Noise; Rat (Lataye, R. (139) 86)

Temporary threshold shift
Noise; Permanent threshold shift; Auditory brainstem response; Histopathology; Chinchilla (Nordmann, A.S. (139) 13)

Threshold shift
Noise exposure; Evoked response; Enhancement; Rat (Syka, J. (139) 59)

Thymidine analogue
Auditory pathway; Superior olive; Inferior colliculus; Fluoro-gold; Bromodeoxyuridine; Development; Rat (Kudo, M. (139) 144)

Transient-evoked otoacoustic emission
Intermodulation distortion; Acoustic trauma; Guinea pig (Withnell, R.H. (139) 1)

Tubulin
Microtubule; Cochlea; Organ of Corti; Development; Hair cell; Pillar cell; Deiters cell (Hallworth, R. (139) 31)

Ultrastructure
C-type natriuretic peptide; Inner ear; Immunohistochemistry; Endolymph; Perilymph (Suzuki, M. (139) 51)